

SAFETY DATA SHEET
TITAN MULTI-TEMP
10010 1.00 14/07/97

SAFETY DATA SHEET Ref No. 10010

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name	TITAN MULTI-TEMP
Manufacturer/Supplier	Global Lubricants Limited
Address	7 Sandwell Business Development Centre, Oldbury Rd, Smethwick, West Midlands, B66 1NN, England
Phone Number	+44 (0) 121 544 3638
Fax Number	+44 (0) 121 544 3638
Emergency Phone Number	+44 (0) 410 754382

2. COMPOSITION/INFORMATION ON THE COMPONENTS

Preparation - Hazardous Components

Component	%	EEC Classification
------------------	----------	---------------------------

No constituents need to be specified.

3. HAZARD IDENTIFICATION

Main Hazards	Not classified as hazardous.
Health Effects - Skin	Repeated and/or prolonged contact may lead to dermatitis.

4. FIRST AID MEASURES

First Aid - Eyes	Wash out eye with plenty of water. Obtain medical attention if soreness or redness persists.
First Aid - Skin	Wash skin with soap and water. If grease has been injected under the skin, seek medical advice immediately.
First Aid - Ingestion	Do not induce vomiting. Obtain medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing Media Unsuitable	Use foam, dry chemical or carbon dioxide. Do not use water jet.
Extinguishing Media Special Hazards of Product	This product may give rise to hazardous fumes in a fire.
Protective Equipment for Fire-Fighting	Wear self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Material can create slippery conditions underfoot.
Spillages	Transfer into suitable containers for recovery or disposal.

7. HANDLING AND STORAGE

Handling	When applying by grease gun, care must be taken not to inject this product under the skin.
Storage	Storage temperature should be controlled to between 1 and 40 °C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Control Measures	No specific measures necessary.
Hand Protection	PVC gloves.
Eye Protection	No specific measures necessary.
Body Protection	Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Paste.
Colour	Brown
Odour	Mild.
Melting Point (°C)	Melts above 280.
Flash Point (PMCC) (°C)	Exceeds 200.
Solubility in Water	Insoluble.
Density (kg/m³)	0.98. (measured as kg/litre)
Auto-flammability (°C)	Above 200.

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to Avoid	No specific measures necessary.
Materials to Avoid	Strong oxidising agents.
Hazardous Products	Decomposition Combustion will generate: smoke, possibly thick and choking, resulting in zero visibility.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity	Low order of acute toxicity.
-----------------------	------------------------------

12. ECOLOGICAL INFORMATION

Mobility	The product is insoluble in water. If released to water the product will float. The product is poorly absorbed onto soils or sediments.
Persistence/ Degradability	The product is expected to be resistant to biodegradation.
Bio-accumulation	Product is not expected to bio-accumulate.

13. DISPOSAL

Product Disposal	Incineration or landfill. Dispose of in accordance with all applicable local and national regulations.
Container Disposal	No specific measures necessary.

14. TRANSPORT INFORMATION

UN Class	Not classified.
ADR/RID - Class	Not classified.
IMDG - Class	Not classified.
IATA - Class	Not classified.

15. REGULATORY INFORMATION

R phrases	None.
S phrases	None.

16. OTHER INFORMATION

Product Use	For industrial use only. Lubricant.
MSDS first issued	
MSDS data revised	14.07.97

17. NATIONAL LEGISLATION

EC Legislation	EC Directive 91/155/EEC defining the laying down and detailed arrangements for the system of specific information relating to dangerous preparations. EC Directive 88/379/EEC relating to the classification, packaging and labelling of dangerous preparations.
-----------------------	--