

SAFETY DATA SHEET
GLOBAL LAYOUT INK REMOVER
GB Current 02.08.1999

SAFETY DATA SHEET Ref No. 10210

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name	GLOBAL LAYOUT INK REMOVER
Manufacturer/Supplier	Global Lubricants Limited
Address	7 Sandwell Business Development Centre, Oldbury Rd, Smethwick, West Midlands, B66 1NN, England
Phone Number	+44 (0) 121 544 3638
Fax Number	+44 (0) 121 544 6505
Emergency Phone Number	+44 (0) 7710 754382

2. COMPOSITION/INFORMATION ON THE COMPONENTS

Ingredient 1: METHANOL 20-50%
CAS: 67-56-1
EINECS: 200-659-6
[F] R11; [T] R23/24/25; [T] R39/23/24/25

3. HAZARD IDENTIFICATION

Main Hazard	Highly flammable. Toxic by inhalation, in contact with skin and if swallowed. Toxic; danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
--------------------	---

4. FIRST AID MEASURES (SYMPTOMS)

First Aid - Eyes	There may be irritation and redness.
First Aid - Skin	There may be mild irritation at the site of contact
First Aid - Ingestion	Nausea and stomach pain may occur. Headaches or general malaise may result. There may be confusion, aggressive behaviour, slurred speech and staggering walk.
First Aid - Inhalation	Drowsiness or mental confusion may occur. Absorption through the lungs can occur causing symptoms similar to those of ingestion.

4. FIRST AID MEASURES (ACTION)

First Aid – Eyes	Bathe the eye with running water for 15 mins. Seek medical advise if symptoms persist.
First Aid – Skin	Contaminated clothes should be laundered before Re-use. Wash off with water.
First Aid – Ingestion	Do not induce vomiting. If conscious, give 1 pint of water to drink immediately. Transfer to hospital as soon as possible.
First Aid – Inhalation	Remove to fresh air. Transfer to hospital as soon as Possible.

5. FIRE FIGHTING MEASURES

Extinguishing Media	Carbon dioxide, alcohol or polymer foam, dry chemical powder,
Exposure Hazard	Highly flammable
Instructions for Fire-Fighting Personnel	Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.
Environmental Precautions	Do not discharge into drains or rivers
Clean up Procedures	Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling Requirements	Ensure there is sufficient ventilation of the area. Do not handle in a confined space. No smoking.
Storage conditions	Store in cool, well ventilated area. Keep away from Sources of ignition. Keep container tightly closed.
Suitable Packaging	Must only be kept in original packaging.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Control Measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.
Hand Protection	Exercise normal Industrial Hygiene.
Eye Protection	Ensure eye bath is to hand.
Skin Protection	Avoid prolonged skin contact.
Respiratory Protection	Local exhaust ventilation is recommended where excessive product misting occurs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Colour	Colourless
Odour	Characteristic odour
Flash Point (°C)	13
Solubility in Water	Soluble
Relative Density	0.75

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid	Sources of ignition, flames
Materials to avoid	Strong oxidising agents

11. TOXICOLOGICAL INFORMATION

Effects of exposure Ingredient 1	Drowsiness, narcotic effect METHANOL IVN RAT LD50 2131 mg/kg ORL MUS LD50 7300 mg/kg ORL RAT LD50 5628mg/kg
---	---

12. ECOLOGICAL INFORMATION

Mobility	Volatile. Soluble in water
Degradability	Biodegradable
Accumulation	No bio-accumulation potential
Other adverse effects	Negligible ecotoxicity

13. DISPOSAL

Waste disposal	Transfer to waste solvent drum for collection by specialist disposal company.
Disposal of packaging	Dispose of as normal industrial waste
NB:	The user's attention is drawn to the possible existence of regional or national regulations.

14. TRANSPORT INFORMATION

UN No:	1230
ADR / RID	3
Hazard ID no:	336
Labelling	Flammable
Shipping name	Flammable liquid nos
IMDG/IMO	
IATA/ICAO	

15. REGULATORY INFORMATION

Classification	Highly flammable
Risk phrases	R11 Highly flammable. R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25: Toxic; danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
Safety phrases	S2 Keep out of reach of children S16 Keep away from sources of ignition – no smoking S33 Take precautionary measures against static discharges. S45 In case of accident or if you feel unwell seek medical advise immediately (show label where possible)
Note:	The regulatory information given above only indicates the principal regulations specially applicable to the described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and regional regulations.

16. OTHER INFORMATION

Legal Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

The phrases refer to the raw materials used in the formulation, not the finished product.