

# SAFETY DATA SHEET

## GLOBAL K DRAW 5

Issued: 19/02/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Trade Name</b>	<b>GLOBAL K DRAW 5</b>
<b>Manufacturer/Supplier Address</b>	Global Lubricants Limited 13 Sandwell Business Development Centre, Oldbury Rd, Smethwick, West Midlands, B66 1NN, England
<b>Phone Number</b>	+44 (0) 121 544 3638
<b>Fax Number</b>	+44 (0) 121 544 3638
<b>Emergency Phone Number</b>	+44 (0) 7710 754382

### 2. COMPOSITION/INFORMATION ON THE COMPONENTS

### 3. HAZARD IDENTIFICATION

<b>Main hazards</b>	Harmful – may cause lung damage if swallowed
---------------------	--

### 4. FIRST AID MEASURES (Symptoms)

<b>First Aid - Eyes</b>	There may be irritation and redness.
<b>First Aid - Skin</b>	There may be irritation and redness at the site of contact.
<b>First Aid - Ingestion</b>	Nausea and stomach pain may occur. There may be vomiting.
<b>First Aid – Inhalation</b>	Exposure may cause coughing or wheezing.

### 4. FIRST AID MEASURES (Action)

<b>First Aid - Eyes</b>	Bathe the eye with running water for 15 mins. Seek medical advice if symptoms persist.
<b>First Aid - Skin</b>	Wash off with water. Contaminated clothing should be laundered before re-use.
<b>First Aid - Ingestion</b>	Do not induce vomiting. If conscious, give 1 pint of water to drink immediately. Transfer to hospital as soon as possible.
<b>First Aid – Inhalation</b>	Remove to fresh air. Seek medical attention if recovery is not rapid or complete.

### 5. FIRE FIGHTING MEASURES

<b>Extinguishing Media</b>	Carbon dioxide, alcohol, polymer foam or dry chemical powder.
<b>Protective Equipment for Fire-Fighting</b>	Wear self contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## **6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Turn leaking containers leak side up to prevent the escape of liquid.
<b>Environmental Precautions</b>	Do not discharge into drains or rivers. Contain the spillage using bunding.
<b>Methods for cleaning</b>	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. If inside, transfer outside of building in suitable containers. Wash the ground with an appropriate self-emulsifying solvent.

## **7. HANDLING AND STORAGE**

<b>Handling</b>	Avoid direct contact with the substance.
<b>Storage</b>	Storage in a cool well ventilated area. Keep away from sources of ignition. Keep container tightly closed.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Engineering measures</b>	Ensure there is sufficient ventilation of the area.
<b>Hand Protection</b>	Exercise normal industrial hygiene.
<b>Eye Protection</b>	Ensure eye bath is to hand.
<b>Skin Protection</b>	Avoid prolonged skin contact.
<b>Respiratory Protection</b>	Do not breathe vapour or spray.
<b>TWA (8 hr exposure limit)</b>	1000

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>State</b>	Liquid
<b>Colour</b>	Yellow
<b>Odour</b>	Barely perceptible odour
<b>Flash Point (°C)</b>	32-40
<b>Solubility in Water</b>	Insoluble.
<b>Boiling Point (°C)</b>	140-1855
<b>Evaporation rate</b>	Slow
<b>Auto-Flammability (°C)</b>	240
<b>Vapour Pressure</b>	0.36
<b>Relative density</b>	0.78

## **10. STABILITY AND REACTIVITY**

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Heat. Sources of ignition.
<b>Materials to Avoid</b>	Oxidising agents.

## **11. TOXICOLOGICAL INFORMATION**

## **12. ECOLOGICAL INFORMATION**

<b>Mobility</b>	Floats on water
<b>Degradability</b>	Biodegradable.
<b>Accumulation</b>	No bioaccumulation.
<b>Short / Long term effects</b>	Negligible ecotoxicity.

## **13. DISPOSAL**

<b>Waste disposal</b>	Transfer to waste solvent drum for collection by specialist disposal company.
<b>Disposal of packaging</b>	Dispose of as normal industrial waste.
<b>NB</b>	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **14. TRANSPORT INFORMATION**

<b><u>ADR/RID</u></b>	
<b>UN Number</b>	UN1268
<b>ADR - Class</b>	3.3
<b>Item no:</b>	3
<b><u>IMDG/IMO</u></b>	
<b>UN no:</b>	1268
<b>Class</b>	3.3
<b>Packaging Group</b>	3
<b>EMS</b>	3.07
<b>Marine pollutant</b>	No
<b>MFAG</b>	311
<b>Labelling</b>	P.S.N. Petroleum Distillates
<b><u>IATA/ICAO</u></b>	
<b>UN no:</b>	1268
<b>Class</b>	3.3
<b>Packing group</b>	3
<b>Labelling</b>	P.S.N. Petroleum Distillates

## **15. REGULATORY INFORMATION**

**Hazard symbols**

Harmful

**Risk phrases**

R65 Harmful. May cause lung damage if swallowed.

**Safety phrases**

S1/2 Keep locked up and out of reach of children  
S62 If swallowed do not induce vomiting. Seek medical advice immediately and show this container or label.  
S24 Avoid contact with skin.

**NOTE**

The regulatory information given above only indicates the principal regulations specifically applicable to the described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

## **16. OTHER INFORMATION**

**Legal disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.